## Punjab State Transmission Corporation Limited

OC

From:

Sr. XEN/ P&M Civil MTC. Division, Jalandhar.

Limited Tender Enquiry No.	42/2023-24, 43/2023-24, 44/2023-24, 45/2023-24, 46/2023-24,
Date of Receipt of Tenders	28.08.2023 up to 01:00PM
Date of opening of Tenders	28.08.2023 at 03.00 PM

To:

M/s As per overleaf.

Subject: Limited TE No.- 42/2023-24, 43/2023-24, 44/2023-24, 45/2023-24, 46/2023-24.

You are requested to quote your lowest rates for the execution of the following works. Quotations should reach in the Office of the undersigned before 01.00 PM on due date. If this day happens to be a holiday, the quotation can be submitted on the following working day and the same shall be opened on that day. The Quotations received at the above mentioned date and time shall be opened at 03.00 PM in the presence of committee of officers/officials of the department and representatives of the contractors who want to be present.

Description of work Earnest Money (Rs.) Limited TE Estimated Time for No. Cost completion of work. 42/2023-24 Repair of store office at 2 % of tender value rounded off to a multiple 220kv s/s Jamsher. of Rs.10 on the higher 2.55 Lakh 45 Days side, subject to minimum Rs.5000. 43/2023-24 Repair of control room 2 % of tender value rounded off to a multiple building at 220kv s/s of Rs.10 on the higher Chohla sahib. 45 Days side, subject to minimum 2.50 Lakh Rs.5000 44/2023-24 2 % of tender value Repair of CO&C rounded off to a multiple Building & switch house of Rs.10 on the higher 60 Days side, subject to minimum building at 132kv s/s 3.95 Lakh Rs.5000 Batala.

45/2023-24	Repair and Maintenance of sub division office of civil works PSTCL, Ludhiana.	1.90 Lakh	2 % of tender value rounded off to a multiple of Rs.10 on the higher side, subject to minimum Rs.5000	45 Days
46/2023-24	Replacement of submersible pump motor at 220kv s/s Dasuya.	28,000/-	2 % of tender value rounded off to a multiple of Rs.10 on the higher side, subject to minimum Rs.5000	30 Days

## General Terms & Conditions:-

- 1. The Tender documents cost is not charged as per Financial Advisor, PSTCL, Patiala(Budget Section) O/o No: 10 dt: 22-2-18 and Earnest Money need to be paid in the form of cash or Demand Draft drawn on any scheduled bank in the favour of Senior executive engineer, P&M Civil Maintenance Division, PSTCL Jalandhar.
- 2. Earnest money shall be 2% of tender value with minimum of Rs.5000/- whichever is higher. Earnest money shall be nil for work order below Rs.50,000/- as per Works Regulations. The Earnest Money along with Documents should be kept in envelope duly sealed super-scribed "EARNEST MONEY" and Quotation should be kept in separate envelope duly sealed superscribed "QUOTATION".
- 3. Quotations not accompanying the EMD as per sr. no. 2 will not be entertained.
- 4. Tenders for part work, Conditional tenders, telegraphic tender through fax or tenders not on prescribed forms of tenders without earnest money in the required shape shall not be accepted.
- 5. A set of tender documents (non-transferable) containing technical specifications, general instructions, terms & conditions can be downloaded from www.pstcl.org or obtained from the office of Sr. Xen P&M Divn, PSTCL Jalandhar by dated 28.08.2023 up to 01:00 PM
- 6. Work shall be carried out as per PWD specifications to meet with the requirements of the work at site to the entire satisfaction of the Engineer-in-Charge.
- 7. GST is applicable as per Govt. norms.
- 8. The quoted Rate shall be valid up to 120 days and shall remain firm through to the completion
- 9. If the work is not completed within stipulated period, PSTCL shall impose 0.5% penality per week subject to the maximum of 5% of the Total amount.
- 10. Security Deposit: 5% of the Gross Value of the work done will be deducted from the running bills as Security Deposit. No interest shall be payable to contractors on the amount of security
- 11. Income Tax, Labour cess shall be deducted at the source as per prevailing rules and rates.
- 12. All statutory rules and regulations such as EPF regulations, Labour Rules and Regulations, wages regulations etc. shall be followed by the contractor. The contractor will be fully responsible for any kind of penalty levied by Central/ State Govt. or any other agency for not following the statutory rules and regulation.
- 13. The quotation should accompany PAN Proof, GST Registration proof and a valid registration of the firm with Pb. PWD, MES, PSPCL, and PSTCL etc.
- 14. Payment for the work done will be made by Sr. XEN, Civil Maintenance Division, PSTCL
- 15. The Tenderer should possess the requisite documents before the date of publishing of this
- 16. The undersigned reserves the right to cancel the aforesaid tender at any stage without assigning
- 17. In case the date of opening of tenders happens to be a holiday, the tenders will be received and opened on the next working day at the same time.
- 18. The competent authority reserves the right to increase/decrease the scope of work or also reject any or all the tenders so received without assigning any reason whatsoever.

- 19. Bidders should note that in case of award of contract they shall themselves be responsible for compliance of various provisions of EPF Act 1952 amended up to date as principal employer, GST which ever are applicable. All obligations arising on this account shall be sole responsibility of the contractor.
- 20. The terms and conditions of PSEB WORK REGULATIONS 1997 along with Amendments will be applicable on this Tender.
- 21. Tenders received after the due date & time, even if posted before the due date of opening shall not be entertained at all.

St. XEN /Civil Civil Mtc Division, PSTCL, Jalandhar

Endst No. 1537) 37

Date 1= | - 8 | 2.20

Copy of above is forwarded to the following for information and necessary action

- 1 Dy Chief /Civil, P&M Circle, PSTCL, Jalandhar.
- 2. Notice Board.

Si. XEM /Civil Civil Mtc Division,

OC PSTCL, Jalandhar Can

	[D	DNIT FOR Repair and maintainance of Sub Division Office of Civil Works, PSTCL, Ludhiana.							
	F	S No. Qt			Description of Item	Units	CSR Ref	CSR/ Deptt Rates	Rate to be quoted by contractor
		1	23.60		12.5mm thick cement plaster 1;4	Sqm	15.9	136.67	
	2	(a)	2.00		Removing Doors and Windows (Steel or wood) with chowkhats by making	rmt	8.26(a)	199.11	
	21	(b)	4		) Window of area 3 sqm and below	1000 No.s	8.26(b)	126.79	
	3		37.98	pi st se Hi	roviding and fixing aluminium work for cors, windows, ventilators and artitions with extruded built up andard tubular sections/appropriate zections and other sectionslindal, andalco, Mahavir or equivalent make approved by Engineer in Charge		17.45(a)	314.29	
-	4		27.26	vei fixi fixi inc	r shutters of doors, windows & ntilators including providing and ing hinges/pivots and labour for ing of fittings wherever required duding the cost of PVC Plug / oprene gasket required	Sqm	17.45(b)	328.57	
	5		3.25	pre par alur part	rviding and fixing 12mm thick laminated particle board flat ssed three layer or graded wood ticle board in paneling fixed in minium doors, windows shutters and tition frames with C.P. brass / nless steel screws etc. complete	Sqm	17.46(i)	853.57	
	6		18.98	door hand	of Aluminium fittings complete for rs, windows such as tower bolts, dless and screw etc. for these legs (Excluding sliding bolt)	No	17.23(ii)	99.11	
	7		1.63	alum shutt	iding and fixing glazing in in inium door, window, ventilator ters and partitions etc. with PVC ineoprene gasket etc. complete	No	17.47(i)	924.11	
٤	3	2	i 1 00.2	nsula RLS mm, :	g fan point without fan box in PVC ated copper conductor single core cable (ISI marked) overall 1.5 sq. 1100volts grade with step type conic fan regulator 100watts.	KG	34.05(i)a	876.12	
9			8 (	oppe ISI m	g light point in PVC insulated er conductor single core FRLS cable arked) overall 1.5 sq. mm, olts grade.	Кg	34.05(ii)	612.72	

		10	1		Wiring call-bell point in PVC insulated copper conductorsingle core FRLS cabl (ISI marked) overall 1.5 sq. mm,1100volts including the cost of be push, electronic buzzer & powder coated concealed metal box for	e	33.05(III)	564.73		
	-	11	10		electronic buzzer). Wiring 3 pin 6 Amp. wall socket (Shuttered) point in PVCinsulated copper conductor single core FRLS cab (IS) marked) overall 1.5 sq. mm.	sqm	34.05(iv)	466.52		
	,	12	20		Supply and erection of PVC insulated single core FRLS copper conductor cab ISI marked left bare in pipe or casing o suitable size excluding the cost of supply and erection of pipe or casing.PVC insulated copper conductor single core FRLS cable (ISI marked) overall 2.5 sq.mm, 1100volts grade	sqm	34.09(III)	31.34		
	13		10.00		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 4 sq.mm, 1100volterade	No	34.09(iv)	45.27		
Ī	14		2.00	- Iv	Wiring 3 pin 16/20 amp. power plug control (shuttered) and switch.	No	34.05(vi)	356.03		
-	15	1	20.00	P	upply and Erection of Heavy gauge VC conduit pipe 25mm dia. (ISI marke mm thick) Flushed	d No	34.11(ii)	102.68		
	16		5.00	Su cir (B	upplying and Erection of Miniature reuit breaker single pole 0.5 to 4amp. reaking capacity 10kA, Curve-C) itable for 240/415 volts 50cycles AC pply	No	34.16a(i)	251.92		
	17	:	1.00	dist pro din	eet metal double door S.P. & N. tribution board (dust protected) ovided with bus bar, neutral link and bar, suitable for incorporating B's/ RCBO/ RCCB's, 12way each as	rmt	34.17(iii)	1523.75		
18	8	10.	-	Prov testi cost socke	riding and laying, jointing fixing and ing G.I. Pipe lines B-Class including of specials such as tees, bends, ets, elbows etc. testing, cutting, ading Inside building complet15mm	rmt	28.36(a)	184.94		
19		10.00	te cc sc th co	esting ost of ockets readi mple	ding and laying, jointing fixing and g G.I. Pipe lines B-Class including f specials such as tees, bends, s, elbows etc. testing, cutting, ing Inside building et20mmi/d	No	28.36(b)	230.7		
20		2.00	uni	on	ng, fixing and Jointing G.I union te on all respect15mm I/d G.I	rmt	28.40(a)	81.25		
21		2.00	unic	Ų Į	g, fixing and jointing G.I union e on all respect20mm I/d G.I	No	28.40(b)	134.67	,	
22	2	67.44		ufact	nting with plastic emulsion approved brand and turer to give an even shade its)	No	16.63	79.46		
					,					

_					
23	160.46	Scraping of white wash and color wash	Mtr	8.31 a	6.25
24	40.12	Preparation of plastered or concrete surface for painting (including sand papering the surface) using ready mixed cement based wall putty by applying two coats to get required finish	Mtr	16.65	71.43
25	28.44	Finishing walls with acrylic smooth exterior paint of required shade with two coats applied @ 1.67 litre/10sqm over and including base coat of water proofing Cement Paint applied @ 2.20 Kg/10 sqm	No	16.59	107.14
26	30.17	Painting one coat with synthetic enamel paint in all shades on old wood work or metallic or plastered or concrete surfaces to give an even shade including rubbing down old paint.	No	16.19	32.14
27	22.65	Dismantling cement conglomerate floors (25mm to 50mm) thick without concrete base	sqm	8.16	97.32
28	22.65	Conglomerate floor 25mm thick cement concrete topping 1:2:4 using mechanical mixer for mixing of material	sqm	14.50	169.72
29	3.75	P/F Anti-skid floor tiles 10mm thick in flooring skirting and dado in 12.5mm thick cement plaster 1:3 in base and jointed with whitecement slurry in joints including corners angles and	sqm	14.72	557.22
30	9.6	Providing and fixing 1st quality ceramic glazed wall tiles conforming to fsize 200	sqm	14.13	677.74
31	20.64	Providing and laying vitrified floor tiles of different sizes in light colour shades made using Double Charge technology (thickness to be specified by the manufacturer) with water absorption's	sqm	14.11	887.58
32	2	Providing and fixing hydraulic door closer ISI mark with necessary screw etc. complete I.S.I Designation No. III (size of door 851mm to 1000mm)	sqm	17.43 c	1169.64
33	8.64	Renewing glass panes with putty and	sqm	31.5 A	203.57
34	1.01	nails wherever necessary  First class burnt brick work laid in cement sand mortar 1:5 in first storey upto 4 metres above plinth level.	sqm	11.60	4211.42
35	2	Providing and fixing in position Chinaware European type water closet P trap or S trap (to the approval of the Engineer-in-charge) suite-consisting of 10 ltr. PVC flushing cistern supported on angle iron bracket, short bend 32 mm dia	sqm	30.4	4267.86

36		2	Providing and fixing jet spray with 2'-6" long PVC pipe.With C.P. Brass nut	sqm	30.8(a)	425		
37		1	Providing and fixing in position best Indian make white ordinary lavatory suites consisting of C.P. brass waste 32mm dia, pair of angle Iron bracket with one C.P. brass tap complete. Size 550 mm x 400 mm	sqm	30.32(ii)	3226.79		
38		1	Providing & fixing in position best Indian make (to be approval of the Engineer-incharge) vitreous Chinware white flat back or angular lipped front urinal size 440 x 315 x 265 mm C.P.	sqm	30.15	2666.96		
39		2.00	hrass flexible tube connection 450 mm. Providing & Fixing in postion 15 mm i/d Providing & Fixing in postion 15 mm i/d		30.65(a)(i	818.75		
40		3.00	bib cock of cp braas without flange (as Providing & Fixing in postion stop cock / Angle valve cp brass(as approved by the Engineer-incharge) C.P.brass 15mm	each	30.66(a)	716.96		
41		1.00	Providing & Fixing in position best indian make bevelled edge 5mm thick mirror mounted on 4mm thick Cardboard sheet ground fixed in position by means of 4 nos. chromium plated brass screws and washers .Size 600mmx450mm	Each	30.61(a)	1070.5	33	
42		1.00	Providing and fixing in position towel rails of approved make including cutting and making good the walls etc CP brass Rails size 15mm dia 600mm long		30.58(a	1374.	11	
43		5	Providing and fixing curtain rail 1.90cm chrome-plated with end bracket.	Sqm	31.33	268.7	75	
44		3	Providing and fixing in position S.S grating with Frame of approved brand	cum	30.80	98.8	0	
45	1.	.00	Supplying and Fixing Ceiling fan 1400mm sweep of crompton make as per NS item	No.	NS	1506	5.00	
46	2.0	00	Supplying and Fixing exhaust fan 12" crompton make as per NS item	No	. NS	17	72.00	
47	4.0	۱ ۲	Supplying and fixing general purpose tube fitting of Crompton make 1x28W as per NS item.	No	o. NS	4	10.00	

48	375.00	Jungle Cirearance	Hectare	32.4c	7.11	
49	20.00	Less iron scrap	kg	M.R.	-20.00	
50	40.00	less wooden scrap	kg	M.R.	-6.00	
51	0.70	Extra carriage and difference of material of Cement	MT	Annex	352.18	
52	1.34	Extra carriage and difference of material of Fine sand	cum	Annex	256.80	
53	0.26	Extra carriage and difference of material or Coarse aggregates 13.2mm	cum	Annex	341.12	
54	0.26	Extra carriage and difference of material o Coarse aggregates 11.2mm	f cum	Annex	235.80	
55	0.26	Extra carriage and difference of material of Coarse sand	of cum	Annex	352.66	
56	0.485	Extra carriage and difference of material of Bricks	1000 No	o.s Annex	642.79	

## Notes: -

- These rates are through rates exclusive of Cement & Steel that shall be issued by PSTCL 1. from jamsher/ablowal store as per availability.
- PWD/ PSTCL specifications will be followed for all the above items, for which ref. to CSR 2. items and NS items is given.
- For any NS item, which is not covered in DNIT, shall be allowed on the same pattern of 3. AOR with the prior approval of Er - in - Charge.
- GST will be applicable as per Govt. norms and will be paid extra. 4.
  - Rates of taxes and duties if any applicable must be mentioned clearly otherwise
- maximum rate shall be taken into account for evaluation purposes. 5

Signature of vendor