



PUNJAB STATE TRANSMISSION CORPORATION LIMITED,
Regd. Office: PSEB Head Office, The Mall, Patiala-147001
Office of Chief Engineer /Transmission System,
Shakti Sadan, Patiala-147001
Corrigendum-I

The date of opening of tenders against PSTCL Specification No. STQ 6032 for the manufacture, testing, supply & delivery of 20 nos. 11 KV RVTs suitable for 11 KV, 1.361 MVAR capacitor banks has been extended as under:-

Last date/time of downloading from website	17.01.15 (upto 5:00 PM)
Last date/time of receipt of tenders	20.01.15 up to 10: 30AM
Date/time for opening of bids	20.01.15 at 11:00 AM
<ol style="list-style-type: none">1. Detailed NIT and specification can only be downloaded from PSTCL's website www.pstcl.org .2. Only manual tenders shall be accepted.	

All other terms & conditions of original NIT shall remain unchanged.

Sd/-
Dy. C.E./TS(D),
PSTCL, PATIALA.



PUNJAB STATE TRANSMISSION CORPORATION LIMITED,
Regd. Office: PSEB Head Office, The Mall, Patiala-147001
Office of Chief Engineer /Transmission System,
3rd Floor, Shakti Sadan, Patiala-147001

Telephone: 0175-2303676

FAX 0175-2301536

To

Dy. C.E./Civil Design,
PSTCL, Patiala.

Memo No. /TSD-6028/T&S-VI
Dated:

Sub:- Corrigendum-I against Spec. No. STQ-6032

Enclosed please find herewith 02 copies of the subject cited NIT for publishing in the following leading newspapers at all India level:-

- i. The Hindustan Times
- ii. The Hindu
- iii. The Times of India
- iv. The Tribune

However, selection of newspaper may be made as per advertisement policy of PSTCL.

The cuttings of Newspapers in which the NIT is published, may invariably be sent to this office for information.

The following are the details of the works for which equipment is required:

1. Accounts Code with account head (Name of Works) as per 10.541
{ Substation Part- I of Booklet Vol. I equipment }
2. Function/Location Code No. as per Part-III of booklet chart 804.29
of accounts.
3. Whether Account Head is covered under capital Capital
or Revenue head
4. Budget Provisions Exists.
5. Chargeable Head of Account for advertisement expenditure out of the following. i) 76.155
ii) 76.260
iii) 76.261
6. i) Name of Division/office CE/TS, PSTCL
ii) Name of Accounting unit A.O./C.P.C.,
PSTCL, Patiala.
7. Estimated Cost of Equipment Rs. 5 Lakh (approx.)

DA/2 Copies

Dy. C.E. /T.S.(D),
PSTCL, Patiala.

CC:-

1. AO/TS, PSTCL, Patiala for information please.
2. Asst. Main Cell o/o Dy.C.E./TS(D),PSTCL, Patiala for information.

DA/Corrigendum-I copy