Punjab State Transmission Corporation Limited

From:

Sr. XEN/ P&M Civil MTC. Division, Jalandhar.

Limited Tender Enquiry No.	90/2023-24
Date of Receipt of Tenders	16.01.2024 up to 01:00PM
Date of opening of Tenders	16.01.2024 at 03.00 PM

To:

M/s As per overleaf.

Memo No 3181/3185

Dated 29/12/2023

Subject: Limited TE No.- 90/2023-24.

You are requested to quote your lowest rates for the execution of the following works. Quotations should reach in the Office of the undersigned before 01.00 PM on due date. If this day happens to be a holiday, the quotation can be submitted on the following working day and the same shall be opened on that day. The Quotations received at the above mentioned date and time shall be opened at 03.00 PM in the presence of committee of officers/officials of the department and

representatives of the contractors who want to be present.

Limited TE	Description of work	DNIT	Earnest Money (Rs.)	Completion
No.		Amount		period
		(Including	3	
		18% GST)	44	
90/2023-24	Maintenance of SHB at		2 % of tender value	S. 14 19 19 19 19 19 19 19 19 19 19 19 19 19
	132kv S/S Bilaspur.		rounded off to a multiple	
		3.86Lakh	of Rs.10 on the higher	45 Days
			side, subject to minimum	
1			Rs.5000.	

General Terms & Conditions:-

- 1. The Tender documents cost is not charged as per Financial Advisor, PSTCL, Patiala(Budget Section) O/o No: 10 dt: 22-2-18 and Earnest Money need to be paid in the form of cash or Demand Draft drawn on any scheduled bank in the favour of Senior executive engineer, P&M Civil Maintenance Division, PSTCL Jalandhar.
- 2. Earnest money shall be 2% of tender value with minimum of Rs.5000/- whichever is higher. Earnest money shall be nil for work order below Rs.50,000/- as per Works Regulations. The Earnest Money along with Documents should be kept in envelope duly sealed super-scribed "EARNEST MONEY" and Quotation should be kept in separate envelope duly sealed super-scribed "QUOTATION".
- 3. Quotations not accompanying the EMD as per sr. no. 2 will not be entertained.
- 4. Tenders for part work, Conditional tenders, telegraphic tender through fax or tenders not on prescribed forms of tenders without earnest money in the required shape shall not be accepted.
- 5. A set of tender documents (non-transferable) containing technical specifications, general instructions, terms & conditions can be downloaded from www.pstcl.org or obtained from the office of Sr. Xen P&M Divn, PSTCL Jalandhar by dated 16.01.2024 up to 01:00 PM
- 6. Work shall be carried out as per PWD specifications to meet with the requirements of the work at site to the entire satisfaction of the Engineer-in-Charge.

7. GST is applicable as per Govt. norms.
8. The quoted Rate shall be valid up to 120 days and shall remain firm through to the completion of work

9. If the work is not completed within stipulated period, PSTCL shall impose 0.5% penality per

10. Income Tax, Labour cess shall be deducted at the source as per prevailing rules and rates,

10. Income Tax, Labour cess shall be deducted at the source as per producted from the running 11. Security deposit: 5% of the gross value of the work done will be deducted from the running

bills as security deposit. No interest shall be payable to contractors on the amount of security 12. All statutory rules and regulations such as EPF regulations, Labour Rules and Regulations,

wages regulations etc. shall be followed by the contractor. The contractor will be fully responsible for any kind of penalty levied by Central/ State Govt. or any other agency for not

13. The quotation should accompany PAN Proof, GST Registration proof, a valid registration of the firm with Pb. PWD, MES, PSPCL, and PSTCL etc. and Allotted EPF Code Number from Employees Provident Fund Commissioner and latest copy of challan of Deposit of EPF of the employees. Or L&C Societies with employee strength of less than 20 employees are exempted from EPF scheme. In such cases, they should submit an affidavit or EPF exemption certificate

14. The Tenderer should possess the requisite documents before the date of publishing of this

15. Payment for the work done will be made by Sr. Xen civil Mtc. Division Jalandhar.

16. The undersigned reserves the right to cancel the aforesaid tender at any stage without assigning any reason.

17. In case the date of opening of tenders happens to be a holiday, the tenders will be received and

opened on the next working day at the same time.

18. The competent authority reserves the right to increase/decrease the scope of work or also reject any or all the tenders so received without assigning any reason whatsoever.

19. Bidders should note that in case of award of contract they shall themselves be responsible for compliance of various provisions of EPF Act 1952 amended up to date as principal employer, GST which ever are applicable. All obligations arising on this account shall be sole responsibility of the contractor.

20. The terms and conditions of PSEB WORK REGULATIONS 1997 along with Amendments will be applicable on this Tender.

21. The Co-op L&C Societies must attach in the documents the NOC taken from the concerned Assistant Registrar of Co-Op Societies of the Distt., Where the work is to be executed

22. Tenders received after the due date & time, even if posted before the due date of opening shall

Endst No. 3186/3187

Civil Mtc Division, PSTCL, Jalandhar

Date 29/12/2023

Copy of above is forwarded to the following for information and necessary action

Dy Chief/Civil, P&M Circle, PSTCL, Jalandhar. 2. Notice Board.

> Civil Mtc Division, PSTCL, Jalandhar

- 10-		IT FOR Repair and maintainanc	e of SI	HB at	132kV	S/S Bila	spur		
S No.	Qty.					Ref D	CSR/ Peptt	Rate to b quoted b	
1	49.00	Regrading terracing of mud plaster cov with tiles or bricks in cement by disman tiles or bricks, removing mud plaste preparing the surface of mud plaste proper, slope, relaying mud plaster G leaping and tiles or bricks grouted cement mortar 1:3 (1 cement and 3 sand)	stling ster, r to iobri	Sqm	31.1		ates 8.67	contract	
2	160.00	Cement concrete 1:2:4 gola 10cm x 10 concave quadrant		rmt	13.55	5 44	.40		
3	0.453	Replacement of worn out tiles with none	100	0 No.s	NS	594	3.85		
4	49.00	Providing and fixing polythene sheet	S	qm	NS	20.	00		
5	26.16	Scraping of cement plaster	S	qm	8.31 c	32.	14		
6	38.16	12.5mm thick cement plaster 1:4	Sc	qm	15.9	136.	67		
7	34.79	Dismantling cement conglomerate floors (25mm to 50mm) thick without concrete base	sq	ım	8.16	97.3	2		
8	9.35	Conglomerate floor 25mm thick cement concrete topping 1:2:4 using mechanical mixer for mixing of material	sq	m	14.5	169.7	2		
9	9.35	P/F Anti-skid floor tiles 10mm thick in flooring skirting and dado in 12.5mm thick cement plaster 1:3 in base and jointed with white cement slurry in joints including corners angles and beading		n	14.72	557.2	2		
10	25.44	P/F 1st quality ceramic glazed wall tiles conforming to fsize 200 x 300mm assteps and dados over 12 mm thick bed of cement mortar 1:4 approved by Engineer-In-charge in	34		14.127	677.74			
11 (a)	3	Removing Doors and Windows (Steel or wood) with chowkhats by making recesses in walls when the wall is not to be dismantled Door of area 3 sqm and below	No.		8.26(a)	199.11			
11 b	1	Window of area 3 sqm and below	No.	- - 8	3.26(b)	126.79			
12	36.47	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate z sections and other sectionsJindal, Hindalco, Mahavir or equivalent make approved by Engineer in	KG	17	7.45(a)	314.28			
13	37.45	For shutters of doors, windows & ventilators including providing and fixing hinges/pivots and labour for fixing of fittings wherever required including the cost of PVC Plug / neoprene gasket required	KG	17	.45(b)	328.57			
14	5.00	Providing and fixing 12mm thick prelaminated particle board flat pressed three layer or graded wood particle board in paneling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc.	sqm	17.	46(I)	853.57	1		
15	7.737	Cost of Aluminium fittings complete for doors, windows such as tower bolts, handless and screw etc. for these fittings	sqm	17.2	3 (11)	99.11			

							7.6
16	1.9275	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVC Plug/ neoprene	sqm	17.47 (i	924.1	0	Mark Land
17	7	wiring fan point without fan box in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade with step type electronic	No	34.05(i):	876.1	2	Acceptance of the second
18	16	fan regulator 100watts Wiring light point in PVC insulated copper conductor singl core FRLS cable (ISI marked) overall 1.5 sq. mm,	No	34.05(ii)	612.7	2	B. C. Blanch B. C. S.
19	1	Wiring call-bell point in PVC insulated copper conductorsingle core FRLS cable (ISI marked) overall 1.5 sq. mm,1100volts including the cost of bell push, electronic buzzer & powder coated concealed metal box for electronic buzzer).	No	33.05(iii)	564.73	3	 and the second s
20	10	Wiring 3 pin 6 Amp. wall socket (Shuttered) point in PVCinsulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade complete wit\ FRLS cable (ISI marked) overall 1 sq. mm, 1100volts grade.	No	34.05(iv)	466.80		
21	60	Supply and erection of PVC insulated single core FRLS copper conductor cable ISI marked left bare in pipe or casing of suitable size excluding the cost of supply and erection of pipe or casing.PVC insulated copper conductor single core FRLS cable (ISI marked) overall 2.5 sq.mm, 1100volts grade	Rm	34.09(iii)	31.34		
22	60	PVC insulated copper conductor single core FRLS cable (ISI marked) overall 4 sq.mm, 1100volts	Rm	34.09(iv)	45.27		
23	6	Wiring 3 pin 16/20 amp. power plug control	No	34.05(vi)	356.03		
24	60	(shuttered) and switch. Supply and Erection of Heavy gauge PVC conduit pipe 25mm dia. (ISI marked 2mm thick) Flushed	RM	34.11(ii)	102.68		
25	6	Supplying and Erection of Miniature circuit breaker single pole 0.5 to 4amp. (Breaking capacity 10kA, Curve-C) suitable for 240/ 415 volts 50cycles AC supply	no	34.16a(i)	233.26		
26	1	Sheet metal double door S.P. & N. distribution board (dust protected) provided with bus bar, neutral link and din bar, suitable for incorporating MCB's/ RCBO/ RCCB's, 12way each as per csr	no	34.17(iii)	1523.75		
27	10	Providing and laying, jointing fixing and testing G.I. Pipe lines B-Class including cost of specials such as tees, bends, sockets,	MTR	28.36(a)	184.94		 1
28	10	Providing and laying, jointing fixing and testing G.I. Pipe lines B-Class including cost of specials such as tees, bends, sockets, elbows etc. testing, cutting, threading Inside building complet20mmi/d	MTR	28.36(b)	230.70		
29	2	Providing, fixing and jointing G.I union complete on all respect15mm i/d G.I union	No	28.40(a)	81.25		1
30	2	Providing, fixing and jointing G.I union complete on all respect20mm I/d G.I union	No	28.40(b)	134.67		 $\frac{1}{1}$
							1

31	10	casting asper IS:15328-2003 class-SN-8 along the trenches and laying the same in Trenches to correct alignment and gradients, cutting and jointing including cost of specials complete as per specifications.110mm o/d pipe	MTR	30.74(III)b	265.88	
32	4	Providing and fixing in position S.S grating with Frame of approved brand	No	30.80		
33	735.12	Wall painting with plastic emulsion paint of approved brand and manufacturer to give an even shade (two coats)	šqm	16.63	98.80 79.46	
34	183.77	Preparation of plastered or concrete surface for painting (including sand papering the surface) using ready mixed cement based wall putty by applying two coats to get required finish	sqm	16.65	71.43	
35	658.94	Finishing walls with acrylic smooth exterior paint of required shade with two coats applied @ 1.67 litre/10sqm over and including base coat of water proofing Cement Paint applied @ 2.20 Kg/10 sqm	Sqm	16.59	107.14	
36	84.80	Painting with acid proof paint of approved brand and manufacture to give an even shade two or more coats	sqm	16.64	78.57	
37	1	Providing and fixing double action hydraulic floor spring of approved brand and manufacture IS: 6315 marked, for doors including cost of cutting floors as required, embedding in floors and cover plates with brass pivot and single piece	No.	17.48	1662.50	
38	2.00	P/F in position chinaware European type water closet P trap or S trap (to the approval of the Enggin-charge) suiteconsisting of 10 ltr. PVC flushing cistern supported on angle iron bracket, short bend 32mm dia	No.	30.4	4267.00	
39	2.00	P/F jet spray with 2'-6" long PVC pipe with C.P. Brass Nut	No.	30.8 a	425.00	
ю	2.00	Chinware white Indian make flat back or angular lipped front small urinals size 265x315x440mm approved make (to the approval of the Engineer-In-charge) with C.P. brass tube connection 300 mm long complete in all respect.	No.	30.15	2666.96	
1	2.00	chinaware white lavatory suites of approved make (to the approval of Engineer-in-	No.	30.32 2	3226.79	
2	3.00	P/F in position 15 mm i/d bib cock of cp brass without flange (as approved by the Engineer-in-charge)	No.	30.65 (a) (ii)	818.75	
3	3.00	Providing & Fixing in postion stop cock / Angle valve of approved make (to the approval of Engineer-in-charge) complete in all respect. C.P.brass 15mm stop cock Male and female end	No.	30.66 (a)	716.96	
4	1.00	Providing & Fixing In position 5mm thick bevelled edge mirror of superior glass (of approved make) complete with 4mm thick hard board backing fixed in with rawl plugs 50mm, C.P. brass screws and washers and S/S Studs on top complete in all respect (as required by the Engineer-in- Charge) Size 600mmx450mm	No.	30.61 (a)	1070.53	

45	1.00	Providing and fixing in position towel rails / ring of approved make (to the approval of Engineer-in-charge) fixed in with rawl plugs embedded in walls with brass screws complete in all respect. C.P. brass towel Rails size 15mm dia 610mm long	No.	30.58 a	1374.11	
46	1.16	First class burnt brick work laid in cement sand mortar 1:5 in first storey upto 4 metres above plinth level.	cum	11.60	4211.42	
47	500	Providing & fixing of Water Storage	LTR	30.97(a)(ii)	9.64	
48	20.00	Tank Less iron scrap	kg		-20.00	
49	80.00	less wooden scrap	kg	N .	-6.00	
50		Extra carriage and difference of rates	AOR			
a	1.11	Cement	cum	Annex	383.02	
ь	1.14	Fine sand	cum	Annex	256.80	
С	0.68	Coarse sand	cum	Annex	339.55	
d	0.68	Crusher 11.2	cum	Annex	355.63	
е	0.68	Crusher 13.2	cum	Annex	308.11	
f	0.56	Bricks	1000 No.s	Annex	642.79	
E	0.45	Tiles	1000 no.s	Annex	653.38	

Notes: -

- These rates are through rates exclusive of Cement & Steel that shall be issued by PSTCL from jamsher/ablowal store as per availability.
- 2. PWD/ PSTCL specifications will be followed for all the above items, for which ref. to CSR items and NS items is given.
- 3. For any NS item, which is not covered in DNIT, shall be allowed on the same pattern of AOR with the prior approval of Er in Charge.
- 4. GST will be applicable as per Govt. norms and will be paid extra.
- Rates of taxes and duties if any applicable must be mentioned clearly otherwise maximum rate shall be taken into account for evaluation purposes.

Signature of vendor